

Factorising expressions

A LEVEL LINKS

Scheme of work: 1b. Quadratic functions – factorising, solving, graphs and the discriminants

Key points

- Factorising an expression is the opposite of expanding the brackets.
- A quadratic expression is in the form $ax^2 + bx + c$, where $a \ne 0$.
- To factorise a quadratic equation find two numbers whose sum is b and whose product is ac.
- An expression in the form $x^2 y^2$ is called the difference of two squares. It factorises to (x y)(x + y).

Examples

Example 1 Factorise $15x^2y^3 + 9x^4y$

then divide each term by $3x^2y$ to f the terms in the brackets	$15x^2y^3 + 9x^4y = 3x^2y(5y^2 + 3x^2)$	The highest common factor is $3x^2y$. So take $3x^2y$ outside the brackets and then divide each term by $3x^2y$ to find the terms in the brackets
---	---	--

Example 2 Factorise $4x^2 - 25y^2$

This is the difference of two squares as the two terms can be written as $(2x)^2$ and $(5y)^2$

Example 3 Factorise $x^2 + 3x - 10$

$b = 3, ac = -10$ So $x^2 + 3x - 10 = x^2 + 5x - 2x - 10$ $= x(x+5) - 2(x+5)$	 Work out the two factors of ac = -10 which add to give b = 3 (5 and -2) Rewrite the b term (3x) using these two factors Factorise the first two terms and the last two terms (x + 5) is a factor of both terms
= (x+5)(x-2)	







edexcel

Example 4 Factorise $6x^2 - 11x - 10$

$$b = -11$$
, $ac = -60$

So

$$6x^2 - 11x - 10 = 6x^2 - 15x + 4x - 10$$

$$=3x(2x-5)+2(2x-5)$$

$$=(2x-5)(3x+2)$$

- 1 Work out the two factors of ac = -60 which add to give b = -11 (-15 and 4)
- 2 Rewrite the *b* term (-11x) using these two factors
- **3** Factorise the first two terms and the last two terms
- 4 (2x-5) is a factor of both terms

Example 5 Simplify $\frac{x^2 - 4x - 21}{2x^2 + 9x + 9}$

 $\frac{x^2 - 4x - 21}{2x^2 + 9x + 9}$

For the numerator:

$$b = -4$$
, $ac = -21$

So

$$x^2 - 4x - 21 = x^2 - 7x + 3x - 21$$

$$= x(x-7) + 3(x-7)$$

$$=(x-7)(x+3)$$

For the denominator:

$$b = 9$$
, $ac = 18$

So

$$2x^2 + 9x + 9 = 2x^2 + 6x + 3x + 9$$

- 1 Factorise the numerator and the denominator
- 2 Work out the two factors of ac = -21 which add to give b = -4 (-7 and 3)
- 3 Rewrite the *b* term (-4x) using these two factors
- 4 Factorise the first two terms and the last two terms
- 5 (x-7) is a factor of both terms
- 6 Work out the two factors of ac = 18 which add to give b = 9 (6 and 3)
- 7 Rewrite the *b* term (9*x*) using these two factors
- **8** Factorise the first two terms and the last two terms
- 9 (x+3) is a factor of both terms
- 10 (x + 3) is a factor of both the numerator and denominator so cancels out as a value divided by itself is 1





$$= 2x(x+3) + 3(x+3)$$

$$= (x+3)(2x+3)$$
So
$$\frac{x^2 - 4x - 21}{2x^2 + 9x + 9} = \frac{(x-7)(x+3)}{(x+3)(2x+3)}$$

$$= \frac{x-7}{2x+3}$$



Practice

Factorise.

a
$$6x^4y^3 - 10x^3y^4$$

$$\mathbf{c} \qquad 25x^2y^2 - 10x^3y^2 + 15x^2y^3$$

b $21a^3b^5 + 35a^5b^2$

b $x^2 + 5x - 14$

d $x^2 - 5x - 24$

 $f x^2 + x - 20$

h $x^2 + 3x - 28$

Hint

Take the highest common factor outside the bracket.

2 Factorise

a
$$x^2 + 7x + 12$$

c
$$x^2 - 11x + 30$$

$$e x^2 - 7x - 18$$

$$\mathbf{g} \quad x^2 - 3x - 40$$

$$\mathbf{g} = x^2 - 3x - 40$$

3 Factorise

a
$$36x^2 - 49y^2$$

c
$$18a^2 - 200b^2c^2$$

a
$$36x^2 - 49y^2$$

c
$$18a^2 - 200b^2c^2$$

Factorise 4

a
$$2x^2 + x - 3$$

c
$$2x^2 + 7x + 3$$

e
$$10x^2 + 21x + 9$$

b
$$4x^2 - 81y^2$$

b
$$6x^2 + 17x + 5$$

d
$$9x^2 - 15x + 4$$

$$\mathbf{f} = 12x^2 - 38x + 20$$

Simplify the algebraic fractions.

$$\frac{2x^2+4x}{x^2}$$

$$\frac{x^2 - 2x - 8}{x^2 - 4x}$$

$$\frac{x^2 - x - 12}{x^2 - 4x}$$

$$\mathbf{d} \qquad \frac{x^2 - 5x}{x^2 - 25}$$

 $\mathbf{b} \qquad \frac{x^2 + 3x}{x^2 + 2x - 3}$

$$\frac{2x^2 + 14x}{2x^2 + 4x - 70}$$

Simplify

$$9x^2 - 16$$

$$3x^2 + 17x - 28$$

$$\frac{4 - 25x^2}{10x^2 - 11x - 6}$$

$$\mathbf{b} \qquad \frac{2x^2 - 7x - 15}{3x^2 - 17x + 10}$$

$$\frac{6x^2 - x - 1}{3}$$

 $\frac{6x^2 - x - 1}{2x^2 + 7x - 4}$

Extend

7 Simplify $\sqrt{x^2 + 10x + 25}$



8 Simplify
$$\frac{(x+2)^2 + 3(x+2)^2}{x^2 - 4}$$





Answers

1 **a**
$$2x^3y^3(3x-5y)$$

c
$$5x^2y^2(5-2x+3y)$$

b
$$7a^3b^2(3b^3+5a^2)$$

2 a
$$(x+3)(x+4)$$

c
$$(x-5)(x-6)$$

e
$$(x-9)(x+2)$$

$$g (x-8)(x+5)$$

b
$$(x+7)(x-2)$$

d
$$(x-8)(x+3)$$

f
$$(x+5)(x-4)$$

h
$$(x+7)(x-4)$$

3 **a**
$$(6x-7y)(6x+7y)$$

$$c$$
 2(3 a – 10 bc)(3 a + 10 bc)

b
$$(2x - 9y)(2x + 9y)$$

4 **a**
$$(x-1)(2x+3)$$

c
$$(2x+1)(x+3)$$

e
$$(5x+3)(2x+3)$$

b
$$(3x+1)(2x+5)$$

d
$$(3x-1)(3x-4)$$

f
$$2(3x-2)(2x-5)$$

5 **a**
$$\frac{2(x+2)}{x-1}$$

$$\frac{x+2}{x}$$

$$\frac{x+3}{x}$$

$$\frac{x}{x-1}$$

$$\mathbf{d} \qquad \frac{x}{x+5}$$

$$\frac{x}{x-5}$$

6 a
$$\frac{3x+4}{x+7}$$

$$\frac{2-5x}{2x-3}$$

$$\mathbf{d} \qquad \frac{3x+1}{x+4}$$

 $\frac{2x+3}{3x-2}$

$$7 (x+5)$$

$$8 \qquad \frac{4(x+2)}{x-2}$$