

Rearranging equations

A LEVEL LINKS

Scheme of work: 6a. Definition, differentiating polynomials, second derivatives

Textbook: Pure Year 1, 12.1 Gradients of curves

Key points

- To change the subject of a formula, get the terms containing the subject on one side and everything else on the other side.
- You may need to factorise the terms containing the new subject.

Examples

Example 1 Make t the subject of the formula $v = u + at$.

$v = u + at$ $v - u = at$ $t = \frac{v - u}{a}$	<ol style="list-style-type: none"> 1 Get the terms containing t on one side and everything else on the other side. 2 Divide throughout by a.
---	--

Example 2 Make t the subject of the formula $r = 2t - \pi t$.

$r = 2t - \pi t$ $r = t(2 - \pi)$ $t = \frac{r}{2 - \pi}$	<ol style="list-style-type: none"> 1 All the terms containing t are already on one side and everything else is on the other side. 2 Factorise as t is a common factor. 3 Divide throughout by $2 - \pi$.
---	--

Example 3 Make t the subject of the formula $\frac{t + r}{5} = \frac{3t}{2}$.

$\frac{t + r}{5} = \frac{3t}{2}$ $2t + 2r = 15t$ $2r = 13t$	<ol style="list-style-type: none"> 1 Remove the fractions first by multiplying throughout by 10. 2 Get the terms containing t on one side and everything else on the other side and simplify. 3 Divide throughout by 13.
---	--

$t = \frac{2r}{13}$	
---------------------	--

Example 4 Make t the subject of the formula $r = \frac{3t+5}{t-1}$.

$r = \frac{3t+5}{t-1}$ $r(t-1) = 3t+5$ $rt - r = 3t+5$ $rt - 3t = 5+r$ $t(r-3) = 5+r$ $t = \frac{5+r}{r-3}$	<ol style="list-style-type: none"> 1 Remove the fraction first by multiplying throughout by $t-1$. 2 Expand the brackets. 3 Get the terms containing t on one side and everything else on the other side. 4 Factorise the LHS as t is a common factor. 5 Divide throughout by $r-3$.
---	---

Practice

Change the subject of each formula to the letter given in the brackets.

- | | | |
|---|-----------------------------------|-----------------------------------|
| 1 $C = \pi d$ [d] | 2 $P = 2l + 2w$ [w] | 3 $D = \frac{S}{T}$ [T] |
| 4 $p = \frac{q-r}{t}$ [t] | 5 $u = at - \frac{1}{2}t$ [t] | 6 $V = ax + 4x$ [x] |
| 7 $\frac{y-7x}{2} = \frac{7-2y}{3}$ [y] | 8 $x = \frac{2a-1}{3-a}$ [a] | 9 $x = \frac{b-c}{d}$ [d] |
| 10 $h = \frac{7g-9}{2+g}$ [g] | 11 $e(9+x) = 2e+1$ [e] | 12 $y = \frac{2x+3}{4-x}$ [x] |

13 Make r the subject of the following formulae.

a $A = \pi r^2$	b $V = \frac{4}{3}\pi r^3$	c $P = \pi r + 2r$ d
$V = \frac{2}{3}\pi r^2 h$		

14 Make x the subject of the following formulae.

a $\frac{xy}{z} = \frac{ab}{cd}$

b $\frac{4\pi cx}{d} = \frac{3z}{py^2}$

15 Make $\sin B$ the subject of the formula $\frac{a}{\sin A} = \frac{b}{\sin B}$

16 Make $\cos B$ the subject of the formula $b^2 = a^2 + c^2 - 2ac \cos B$.

Extend

17 Make x the subject of the following equations.

a $\frac{p}{q}(sx + t) = x - 1$

b $\frac{p}{q}(ax + 2y) = \frac{3p}{q^2}(x - y)$

Answers

- 1 $d = \frac{C}{\pi}$
- 2 $w = \frac{P-2l}{2}$ 3 $T = \frac{S}{D}$
- 4 $t = \frac{q-r}{p}$
- 5 $t = \frac{2u}{2a-1}$ 6 $x = \frac{V}{a+4}$
- 7 $y = 2 + 3x$
- 8 $a = \frac{3x+1}{x+2}$ 9 $d = \frac{b-c}{x}$
- 10 $g = \frac{2h+9}{7-h}$
- 11 $e = \frac{1}{x+7}$ 12 $x = \frac{4y-3}{2+y}$
- 13 a $r = \sqrt{\frac{A}{\pi}}$ b $r = \sqrt[3]{\frac{3V}{4\pi}}$
- c $r = \frac{P}{\pi+2}$ d $r = \sqrt{\frac{3V}{2\pi h}}$
- 14 a $x = \frac{abz}{cdy}$ b $x = \frac{3dz}{4\pi cpy^2}$
- 15 $\sin B = \frac{b \sin A}{a}$
- 16 $\cos B = \frac{a^2 + c^2 - b^2}{2ac}$
- 17 a $x = \frac{q+pt}{q-ps}$ b $x = \frac{3py+2pqy}{3p-apq} = \frac{y(3+2q)}{3-aq}$